



D450 Mid level counterfeit detector

The Bleached Bills Auto Detector's self feeding detection system eliminates the need to visually inspect suspect notes. This automatic counterfeit detector checks for ultraviolet markings, magnetic ink, and infrared in less than 1 second per bill. An audible and visual warning notifies you if the bill passed or failed the test.



Specifications

Dimensions 5" x 5 1/2" x 2 3/4"

Currency Accepted US Dollar / Programmable

IR Detection Redundant internal IR (Infrared sensors)

UV Detection Redundant internal UV sensors

Magnetic Detection Redundant internal magnetic sensors

Watermark Detection Redundant internal watermark sensors

Weight 1.1 lbs (0.5kg)

Power Source 110-220V, 60-50 Hz

Power Consumption < 3 Watts

Pallet Information

Dimensions 48" x 40" x 52"

Master Cartons per Pallet 27

Boxes inside Master Carton 8

Units per Pallet 216

Operational Features

- > Internal Infrared detection sensor
- > Internal watermark detection sensor
- > Internal magnetic sensor
- > Internal UV sensor
- > Audible and visual alarm
- > Automatic banknote feeding system
- Currency Detection: US dollars

Business Value

- High ROI: Pays for itself by detecting just one fake \$100 dollar bill
- > Plug-in and use: Requires no Cashier training
- > Detects "Bleached Bills": Genuine \$1 and \$5s converted to \$20 and higher denominations
- Compact Size: Can be placed next to POS / Register in the "line-of-sight" of the customer.
- Automates Process: Distances the store brand from "sticky" situations with technology instead of making Judgment call.

Applications

- Great for bars
- nightclubs
- restaurants
- movie theaters and
- any other business where cash transactions take place.





















Bur Dubai Office

Al Esbij Road off Khaleed Bin Waleed Street, Bur Dubai PO Box 44960, Dubai, UAE Tel: +971 4 352 3288 Fax: +971 4 351 3396

Website: www.eposintl.com

Jebel Ali Office

Plot No. \$10119 South Zone, Gate No. 7 Jebel Ali Free Zone (JAFZA), Dubai, UAE Tel: +971 4 886 2980 Fax: +971 4 886 2971

Email: sales@eposintl.com

